

Gandhi, Ashvin, et al. "High Nursing Staff Turnover In Nursing Homes Offers Important Quality Information." *Health Affairs*, vol. 40, no. 3, Mar. 2021, pp. 384–4. *Nursing & Allied Health Database*, <https://doi.org/http://dx.doi.org/10.1377/hlthaff.2020.00957>. Accessed 2 Mar. 2022.

Higgins, Amy M., and Catherine Garner. "Work-Life Balance Best Practices." *ProQuest Dissertations and Theses, Walden University*, 2020, p. 75. *Publicly Available Content Database*, <https://www.proquest.com/dissertations-theses/work-life-balance-best-practices/docview/2418583440/se-2>. Accessed 1 Mar. 2022.

"The Joint Commission: Preventing Nursing Burnout." *Hospital Employee Health*, vol. 38, no. 9, Sept. 2019. *Career & Technical Education Database*, <https://www.proquest.com/trade-journals/joint-commission-preventing-nursing-burnout/docview/2271731108/se-2?accountid=158495>. Accessed 1 Mar. 2022.

Kakemam E, Chegini Z, Rouhi A, Ahmadi F, Majidi S. Burnout and its relationship to self-reported quality of patient care and adverse events during COVID-19: A cross-sectional online survey among nurses. *J Nurs Manag.* 2021;29:19 4–1982. <https://doi.org/10.1111/jonm.13359>

Kelly, Hancock K, and Chad V Minor. "Pandemic Hastens Cleveland Clinic's Unified Well-Being Strategy." *Frontiers of Health Services Management*, vol. 38, no. 1, 2021, pp. 4–13. *ABI/INFORM Global*, <https://doi.org/http://dx.doi.org/10.1097/HAP.000000000000121>. Accessed 1 Mar. 2022.

Macdonald, Ilene. "To Take Care of Patients, First Take Care of Yourself and Your Staff." *FierceHealthcare*, 29 May 2015. *ABI/INFORM Trade & Industry*, <https://www.proquest.com/trade-journals/take-care-patients-first-yourself-your-staff/docview/1684255448/se-2?accountid=158495>. Accessed 1 Mar. 2022.

Mirza, Naveed Shahzad, et al. "Nurses in Double Trouble: Antecedents of Job Burnout in Nursing Profession." *Pakistan Journal of Medical Sciences Quarterly*, vol. 35, no. 4, 31 Aug. 2019, p. 934. *Health & Medical Collection; Nursing & Allied Health Database*, <https://www.proquest.com/scholarly-journals/nurses-double-trouble-antecedents-job-burnout/docview/2356109540/se-2?accountid=158495>. Accessed 1 Mar. 2022.

Perceived Stress Scale. <https://das.nh.gov/wellness/docs/percieved%20stress%20scale.pdf> Accessed March 11 2022.

Perceived Stress Scale

A more precise measure of personal stress can be determined by using a variety of instruments that have been designed to help measure individual stress levels. The first of these is called the **Perceived Stress Scale**.

The Perceived Stress Scale (PSS) is a classic stress assessment instrument. The tool, while originally developed in 1983, remains a popular choice for helping us understand how different situations affect our feelings and our perceived stress. The questions in this scale ask about your feelings and thoughts during the last month. In each case, you will be asked to indicate how often you felt or thought a certain way. Although some of the questions are similar, there are differences between them and you should treat each one as a separate question. The best approach is to answer fairly quickly. That is, don't try to count up the number of times you felt a particular way; rather indicate the alternative that seems like a reasonable estimate.

For each question choose from the following alternatives:

0 - never 1 - almost never 2 - sometimes 3 - fairly often 4 - very often

- _____ 1. In the last month, how often have you been upset because of something that happened unexpectedly?
- _____ 2. In the last month, how often have you felt that you were unable to control the important things in your life?
- _____ 3. In the last month, how often have you felt nervous and stressed?
- _____ 4. In the last month, how often have you felt confident about your ability to handle your personal problems?
- _____ 5. In the last month, how often have you felt that things were going your way?
- _____ 6. In the last month, how often have you found that you could not cope with all the things that you had to do?
- _____ 7. In the last month, how often have you been able to control irritations in your life?
- _____ 8. In the last month, how often have you felt that you were on top of things?
- _____ 9. In the last month, how often have you been angered because of things that happened that were outside of your control?
- _____ 10. In the last month, how often have you felt difficulties were piling up so high that you could not overcome them?

Figuring Your PSS Score

You can determine your PSS score by following these directions:

- First, reverse your scores for questions 4, 5, 7, and 8. On these 4 questions, change the scores like this:
$$0 = 4, 1 = 3, 2 = 2, 3 = 1, 4 = 0.$$
- Now add up your scores for each item to get a total. **My total score is _____.**
- Individual scores on the PSS can range from 0 to 40 with higher scores indicating higher perceived stress.
 - ▶ Scores ranging from 0-13 would be considered low stress.
 - ▶ Scores ranging from 14-26 would be considered moderate stress.
 - ▶ Scores ranging from 27-40 would be considered high perceived stress.

The Perceived Stress Scale is interesting and important because your perception of what is happening in your life is most important. Consider the idea that two individuals could have the exact same events and experiences in their lives for the past month. Depending on their perception, total score could put one of those individuals in the low stress category and the total score could put the second person in the high stress category.

Disclaimer: *The scores on the following self-assessment do not reflect any particular diagnosis or course of treatment. They are meant as a tool to help assess your level of stress. If you have any further concerns about your current well being, you may contact EAP and talk confidentially to one of our specialists.*

**State of New Hampshire
Employee Assistance Program**



Gregory, Sean. (2015). Burnout Among Primary Care Physicians: A Test of the Areas of Worklife Model. *Journal of Healthcare Management*, 60(2), 133-148. Retrieved from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=yrovftq&NEWS=N&AN=00115514-201503000-00009>.

Gupta, Kiran, MD, MPH, Rivadeneira, Natalie, Lisker, Sarah, Chahal, Karina, Gross, Nate, et al. (2022). Multispecialty Physician Online Survey Reveals That Burnout Related to Adverse Event Involvement May Be Mitigated by Peer Support. *Journal of Patient Safety*, 18, 531-538. <https://doi.org/10.1097/PTS.0000000000001008>

Hall, Louise, Johnson, Judith, Heyhoe, Jane, Watt, Ian, MB, ChB, MPH, FFPH, et al. (2020). Exploring the Impact of Primary Care Physician Burnout and Well-Being on Patient Care: A Focus Group Study. *Journal of Patient Safety*, 16, e278-e283. <https://doi.org/10.1097/PTS.0000000000000438>

Luu, Tiffany, Spiegelman, Lindsey, Nykin, David, Abido, Kimberly, Roh, Jennifer, Rudkin, Scott, et al. (2022). Implementation of an Electronic Health Record-Based Messaging System in the Emergency Department: Effects on Physician Workflow and Resident Burnout. *Journal of Patient Safety*, 18, e542-e546. <https://doi.org/10.1097/PTS.0000000000000869>